Index





Α

AAVHTQ. See Australian Aboriginal Version of the Harvard Trauma Questionnaire

Aboriginal and Torres Strait Islander Emotional and Social Wellbeing (Mental Health) Action Plan 1996 71

Aboriginal and Torres Strait Islander Emotional and Social Wellbeing (Mental Health) Action Plan 1996 - 2000 76

- Lumbu Indigenous Community Foundation 77
- Wuchopperen Health Service 77

Aboriginal and Torres Strait Islander Healing Foundation 294

Aboriginal and Torres Strait Islander Health Performance Framework (HPF) 78, 82

Aboriginal and Torres Strait Islander Mental Health Suicide Prevention Advisory Group (ATSIMHSPAG) 49

Aboriginal Community Controlled Health Organisation (ACCHO) 72, 346

Aboriginal Disability Network of New South Wales 273

Aboriginal Health Practitioner (AHP) 346-347

Aboriginal Health Worker (AHW) 47, 75, 263, 346-347

Aboriginal history

- culture and history 4

Aboriginal Medical Services Alliance of the Northern Territory (AMSANT) 134

Aboriginal mental health movement 45-46

Aboriginal mental health professionals 45

Aboriginal Mental Health Worker (AMHW) 34, 114, 263, 339, 347, 377

Aboriginal mental health workforce 523–524 - being undervalued 524

Aboriginal prisoners 166-171

Aboriginal terms of reference 204, 276, 286 Framework 276

Aboriginal youth 18, 153, 388, 391 suicide 76, 106, 149, 154, 443

ACCHO. See Aboriginal Community Controlled Health Organisation

Acquired brain injury. See Brain injury

Acts of parliament

1911 Aboriginal Protection Act 8

Aboriginals Protection and Restriction of the Sale of

Opium Act 1897 8

Aborigines Act 1869 8

Aborigines Act 1905 8

Aborigines Protection Act 1909 8

Cape Barren Island Act 1912 8

Native Administration Act 1936 8

Northern Territory Aboriginal Ordinance of 1911 8

Welfare Ordinance 1953 8

Acute Stress Disorder (ASD) 116

Adaptation After Persecution and Trauma (ADAPT) 296–297

Adjustment Disorder (AD) 115, 291

AHW. See Aboriginal Health Worker

Alcohol

Aboriginal people in custody 167-169

alcohol-attributable death 130

brain injury 316

'dry' (prohibiting alcohol) communities 133

FAS 355

FASD 355

harmful use 125

impact of 452

in communities 365

key action areas 452

pregnancy 355, 358

prevalence of use 128

Seven Areas (Strong Spirit Strong Mind model) 454

social problems 128

suicide 152

violence 405

Alcohol Use Disorders Identification Test (AUDIT) 169

American Psychiatric Association (APA). See Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition

AMHW. See Aboriginal Mental Health Worker

Anthropological

Cambridge expedition 41

research 11

Antidepressant medication 348

Anxiety

antenatal 338 comorbid 338 cultural differences 385 disorder 169–170, 476 identification 116 in children 383	conduct disorder 383 consequences 385 cultural differences 385 externalising disorders 383 internalising disorders 383 See also Assessment
life stressors 116 perinatal and infant mental health 337 postnatal 338 social phobia 116	Bereavement 476 support after suicide 157 through suicide 147
symptoms 116 treatments for young people 391	beyondblue beyondblue National Postnatal Depression Research Program 2001-2005 348
Apology to Australia's Indigenous peoples 74, 79, 126, 159, 494	Biology 96
APS. See Australian Psychological Society	Bio-Psycho-Socio-Cultural-Spiritual Model 225-226
APS Interest Group 47	Board of Community Psychologists 47
Asserger Syndrome 312 Assessment 271 Aboriginal Indigenous Psychology Association (AIPA) framework 276 behavioural and emotional problems in children 386 child assessment 346, 373 communication skills 283 culturally appropriate assessment 272 - four stages 279–283 definition 272 guidelines and standards 273 Mental Health Stay Strong Care Plan 284 Mental State Examination 281	Brain injury 314–319 alcohol related 316 amphetamine related 318 cannibis related 318 causes 314–318 complications 316 definition 314 Volatile Substance Misuse (VSM) related 317–318
	Bringing Them Home: Report of the National Inquiry into the Separation of Aboriginal and Torres Strait Islander Children from their Families, 1997 73–74, 385, 494–500 Bunda, Tracey 47
misuse 271 Ngarlu assessment model 449	C
of Aboriginal groups 386	Cambridge Expedition 11, 41
tools 271, 284–285, 325–326	Canadian Aboriginal Horizontal Framework 31
Assimilation 13, 39, 43–44, 47, 131, 494 Attention Deficit Hyperactivity Disorder (ADHD) 313, 383	Canadian First Nations suicide rates 150
Australian Aboriginal Version of the Harvard Trauma	Cannabis 126, 130
Questionnaire (AAVHTQ) 285, 292	Caregiving Aboriginal framework 253
Australian Bureau of Statistics (ABS) 3, 116	being present and being human 245
Australian Government Implementation Plan 2007-2013 77	definition of 251–252 for Aboriginal families 243 lack of support 249
Australian Health Ministers' Advisory Council (AHMAC) 71, 199	mental illness 243, 246–247 CARPA. See Central Australian Rural Practitioners
Australian Human Rights Commission 49	Association
Australian Integrated Mental Health Initiative (AIMhi) 121, 137, 379, 525	Central Australian Rural Practitioners Association (CARPA) 121
Australian Psychological Society (APS) 39, 44, 46, 159,	Centre for Aboriginal Studies 48
198, 274, 276 Interest Group 47	Cerebral Palsy 312
Autism Spectrum Disorder (ASD) 312	Ceremonies 27, 60, 480
В	Chaos 98
B Behavioural and emotional problems 383	Chaos 98 Child assessment. <i>See</i> Assessment; Perinatal mental health Child removal. <i>See</i> Forcible removal

Child sexual abuse. See Sexual abuse	Connection
Clinical practice 64	country 5 See also Social and emotional wellbeing (SEWB)
COAG. See Council of Australian Governments	Council of Australian Governments (COAG) 70–71, 134,
Cognistat 326	196
Cognition 43	-National Action Plan on Mental Health 2006–2011 83 - The Roadmap for National Mental Health Reform
Cognitive ability 42–43 assessment 378 development 95, 344 impairment 307 prenatal alcohol exposure 356 processes 43 Cognitive behaviour therapy (CBT) 391, 450	2012-2022 85, 198, 438 Counselling Aboriginal and Torres Strait Islander counsellors 493, 503 community 158 lack of in trauma-related case 290 mental health 74 theatre and story telling 77
Cognitive disability 165	SEWB 77
in Aboriginal prisoners 167–168 transition from custody to community 172	support 74 trauma and grief 77
Cogstate 326	Crime. See Violence
Colonisation 437, 459, 460, 510. effects of 7 European 121 historical legacy 419 history of 4, 27, 259 impact of 73, 167, 197, 244, 455, 511	Criminal justice system 120, 165–167, 173–174, 509 over-representation 166, 509–511 systemic inequalities 510 See also Offender rehabilitation programs Critical reflection critically reflective practice 206–209
invasion 485	Critical Reflection Framework of Analysis 208, 211
resistance and adaptation 7 See also the Stolen Generations	tools and techniques 209
Commonwealth referendum. <i>See</i> 1967 Commonwealth Referendum	Cultural awareness 201 Cultural competence 195, 225
Community. capacity 429–430 categories of 258 code of conduct 34 community healing 158–161 concept 60 consultation 439 contemporary communities 258 cultural schemas 515 disadvantaged communities 440 dysfunctional 298	and interdisciplinary care 228–229 developing cultural competence 199 elements of practitioners 202 encompassing cultural competence 202 in assessment 278 individual 200 lack of in service providers 438 mental health service standards 190–192 micro skills 283 National Practice Standards 195, 275 stages of development 203 See also Critical reflection; Assessment
governance 105, 424–426, 443 of practice 299	Cultural concepts 377
perceptions of community 258 re-establishing healthy communities 420 resilience 427–429 Strong Spirit Strong Mind model 455 See also Urban diversity	Cultural considerations. in urban situations 260 See also Urban diversity Cultural continuity 105, 421, 442
Comorbidity	restoring 426 suicide rates 154
addressing comorbidity 133 disorders 383 FASD 356	Cultural diversity layers of 265
harmful substance use 126 initiatives 133-134	Cultural mechanisms 27
issues 129 management of 126	Cultural practice miscommunication 114
SEWB 129 specialist services 138	Cultural principles 253, 272

Cultural respect 199-201	psychological distress 13
Cultural Respect Framework 199. See also Australian	psychosis 117, 171 PTSD 294
Health Ministers' Advisory Council	racism 17
Cultural safety 113, 195, 201	remote communities 257
definition 114	retention rate 28
in service delivery 201	school attendance 387
·	self-harm 150-151
Cultural security 225, 451 definition 134	social disadvantage 101, 116
definition 134	Stolen Generations 30
Culture bound syndromes. See Syndromes	stress 29, 101 substance use 117, 127, 127–128, 171 suicide 13, 129, 172 suicide rates 147–150
Custody. See Incarceration	
D	
	tobacco use 127
Dance of Life 276–278	trauma 293 unemployment 29
Darwinism 8, 40	violence 13, 103, 401, 463
Data and statistics	Death
Aboriginal prisoners 166	causes of alcohol-attributed 130
abuse and neglect 403	on release from prison 172–173
alcohol-attributable death 130	premature 243
alcohol consumption in pregnancy 358	rates 7, 31, 314
alcohol use 127	smoking 127
anxiety 116	smoking 127
brain injury 314	Decolonisation 153, 205
child protection 13, 29	Defining violence. See Violence
child sexual abuse 293	Demning violence, occ violence
death 13	Deinstitutionalisation 244
death rate 31	Dementia.
deaths in custody 165	causes 319
dementia 307, 320	prevalence in Aboriginal and Torres Strait Islander
depression 115, 170, 294	people 319–320
diabetes 28	See also Cognition; Diagnosis
discrimination 99	See uiso Cognition, Diagnosis
drug use 137	Depression 115
education 13, 28	EPDS 345
employment 13	in children 383
employment and income 28	loss of connection 115
ex-prisoners 172–173	major depression 115
FAS and FASD 356	manic 115
forcible removal 100, 496	maternal 338
forensic issues 119	paternal 339
head injuries 315	perinatal 338
health 104	postnatal 116, 338
homicide 13	postpartum 116
hospitalisation 13, 28, 103, 128	Deprivation
housing 28	social and emotional 121
illicit and licit drugs 127	social and emotional 121
incarceration 290	Detention. See Incarceration
income 13	Determinants
intellectual disability 307	Aboriginal mental health and wellbeing 211
justice 13	Aboriginal mental health and wendering 211
loss 294	Diabetes 28, 105
mental disorder 475	Diagnosis
mental health in children and youth 384	Diagnosis.
mood disorders 115	357
perinatal mental health 338	anxiety disorder 113
personality disorder 118	children and their mental health 373
population 3, 13	FASD 359
postnatal depression 116	challenges of 357
psychiatric or behavioural illness 243	lack of 356

misdiagnosis 75, 272, 277 mood disorder 113	DSM-5. See Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition
of an Aboriginal or Torres Strait Islander person 113 perinatal depression 337 personality disorder 113	DSM IV-TR. See Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, Text Revision
poor prognosis 126 psychosis 113	E
See also Diagnostic and Statistical Manual of Mental	Edinburgh Postnatal Depression Scale (EPDS) 116, 345
Disorders, Fifth Edition Diagnostic and Statistical Manual of Mental Disorders, Fifth Edition (DSM-5) 273, 291	Education mental disorders 167 school attendance 387–389
Diagnostic and Statistical Manual of Mental Disorders, Fourth Edition, Text Revision (DSM IV-TR) 273	Emotional disorders. <i>See</i> Behavioural and emotional problems
Disability. FASD 356 See also Intellectual disability	Empowerment group/community 440 individual 439-441
Disability services Aboriginal people in custody 173–174	Epidemiology trends in suicide 147–148
Disadvantage	Epilepsy 313
Aboriginal and Torres Strait Islander disadvantage 26, 28 economic and social 13,101-102, 419 extent of 419 foundations 32 Overcoming Indigenous Disadvantage (OID) 14,78 overwhelming nature of 374	European explorers 40 legislation 8 recorded history 11–12 settlement 7, 11, 46
social 374-375	Expectations 96
Discrimination 70, 200, 273, 374. racial discrimination 73, 98	F
racism and discrimination 98, 99 structural 244	Family cultural schemas 515-516
systemic discrimination 106	Family violence. See Violence
See also Racism	FASD. See Fetal Alcohol Spectrum Disorder
Disorders. <i>See also</i> Behavioural and emotional problems Dispossession 131 <i>See also</i> the Stolen Generations	Fetal Alcohol Spectrum Disorder (FASD) 312, 355 burden of 356 cost of 356
Djirruwang Program 523 aims and content526 background 523 cultural affirmation 528 external evaluation 526	diagnosing 359 Fetal Alcohol Effects (FAE) 356 impact of 357 in Australia 357 Life Cycle model 355, 360–363 prevalence of 356, 359
Down Syndrome 312	Fetal Alcohol Syndrome (FAS) 355
Drug and Alcohol Office (DAO) 366, 449	Fifth National Mental Health Plan 2014–2019 438
Drug related harm demand reduction 132 harm reduction 133 supply reduction 132 See also Drugs; Substance use/misuse	Forcible removal 271 burden of trauma 493–497 children 100, 244, 404, 437 effects of 159, 165 restitution 497–498
Drugs advantages and disadvantages of use 137 illicit and licit use 127, 132	Forensic issues relating to mental health 119
key action areas 452	Fragile X Syndrome 312
self-medication 422 Seven Areas (Strong Spirit Strong Mind model) 454 See also Substance use/misuse	Funerals 260 See also Bereavement; Sorry business

ប	Multidisciplinary 221 222 220 224
Gatekeeper Training Program 156	Multidisciplinary 221–223, 230–234 assessing intellectual disability 309–310
Genocide 421	Transdisciplinary 222–223, 227 disciplines and roles
Grief and loss 419, 421–422, 516	•
definitions and scope 477–478	Hear Our Voices 438-439, 443-444
inconsolable grief and loss 343	Hospitalisation
issues 455 malignant grief 30	Aboriginal self-harm 150–151
mental illness 114	alcohol 104
pathways to recovery 419	assaults 103 mental health disorders 172
post assessment 283	prisoners 120, 172
rejection 459	rates for mental and behavioural disorders 129
Seven Phases healing model	violence and family violence 103
background 476 characteristics 478–479	HPF. See Aboriginal and Torres Strait Islander Health
integrating loss and grief 479–489	Performance Framework
trauma 293	Human evolution 40–41
unrelenting burden 374	
unresolved grief and loss 70, 99, 244	Human rights 69, 196, 496
widespread grief and loss 100 See also Suppressed unresolved grief (SUG); Trauma	Human Rights and Equal Opportunity Commission (HREOC) 424
Guidelines	1
Aboriginal Law 515 assessment 273	
APS guidelines 276	ICD-10. See International Statistical Classification of
Australian practice for treatment of mental illness 120	Diseases and Related Health Problems, 10th Revision
beyondblue Clinical Practice guidelines 348	Identification
Cultural Formulation Interview (CFI) modules 275 diagnostic 273	post-assessment and intervention 282
DSM-5 273	Identity
ethical 198	being Aboriginal 6
EPDS 345	cultural 106 descent, country and kinship 5
FASD 355	kinship 105
ICD-10 273 RANZCP guidelines 276	urban situations 259
•	See also Urban diversity; Torres Strait Islander
Guidelines for the provision of psychological services for, and the conduct of psychological research with, Aboriginal	Illicit drugs. See Drugs
and Torres Strait Islander people of Australia 276	Incarceration 102, 165–171, 462
zone com zommer people egilmen min zo	and mental health 165–173
Н	culturally informed rehabilitation 166
Hallucinations (abnormal sensory perceptions) 117,171	juvenile detention 166
See also Psychosis	over-representation 165-166
Harm minimisation 133	women in prison 166
Harm reduction 133	Incidence paternal depression 339
Healing Foundation 61,72, 160, 294, 440	Indigeneity 60
Canadian Indigenous 159	Indigenous Community Management and Development
Health	(ICMD) 209
Aboriginal 26,28	Indigenous disadvantage. See Disadvantage
contemporary 27	
HIV 27 mental 25-27	Indigenous family violence. See Violence
Health care model 225–226	Indigenous Healing Centres 159
Health care teams	Indigenous Psychological Services 156
Interdisciplinary 221–227	Infant mental health 337
SEWB team 230	Initiatives

Aboriginal and Torres Strait Islander specific 71,86	Kimberley Mum's Mood Scale (KMMS) 285
Commonwealth 71 community 86 community healing 158–159 National COAG Policy 70,85 National Mental Health Policy Reform 83	Kinship 5, 26, 105, 151, 196, 246, 260 in urban situations 260 system 423 See also Identity
perinatal depression plan 348 State and Territory 72 substance use 134	L
Inner Spirit 449–455	Land rights. See Native Title
Inside Out study 170–172	Language of violence 400
Intellectual disability assessment and management 311 culturally relevant 309–310 tools 325	Law/Lore 26, 469 Aboriginal 455 enforcement 133, 453 recognising Aboriginal Law and culture 510 women's 340
associated childhood conditions 311–313 definition 308 forensic issues 324	Legislation oppressive legislation 8 supply of alcohol 133
issues for families and carers 323–324 maternal alcohol-related 357	Life expectancy 81
physical health needs 310–311 prevention 326–327 psychiatric complications 321–322 rare conditions associated with intellectual and developmental disability 313	Life stressors 101, 373 impact of 384 Law and Justice statistics 462 young people 384–385 See also Anxiety
Interdisciplinary teams. See Health care teams	Lore. See Law/Lore
Intergenerational transmission of trauma 294	Loss. See Grief and loss
International Congress of Psychology 46	Lumbu Indigenous Community Foundation 77
International Statistical Classification of Diseases and	M
Related Health Problems, 10th Revision (ICD-10) 115, 168, 273, 308	Manic depression or bipolar disorder. See Depression
Intervention.	Maori health 31
culturally appropriate models 392 cultural practice 114 early 348, 374 focus of 132 home-based intervention programs 390	Maralinga Workshop 47 Media coverage 399 images 338 television commercials on violence 407
professional practice 44 strategies 282	Medication 348. See also Drugs
trauma 292 violence in Aboriginal communities 410 See also Northern Territory Intervention Interview techniques.	Mental disorder 165 in Aboriginal prisoners 167–171 the changing scenario 243 transition from custody to community 172
brief interviews 137	Mental functioning and testing. See Psychology
motivational interviewing 137 skills and abilities 263 See also Mental health assessment; Mental state examination	Mental health and social and emotional wellbeing 63–64 child and youth 373, 384
Invasion. See Colonisation; European	influencing factors 374 culturally appropriate services 196
K	definition 64, 70 history 26
Karajarri 449	improving access to care 524
Kimberley Indigenous Cognitive Assessment (KICA) 285, 320, 325	infant 337, 342–344 mental health workforce groups 190

morbidity 419 Mood disorders. See Depression in childhood 385 Multidisciplinary teams. See Health care teams parental 337 practice standards 181-185 problems and distress 475 public health approach 374 NACCHO. See National Aboriginal Community Controlservice standards 190-192 led Health Organisation training for Aboriginal people 525 National Aboriginal and Torres Strait Islander Health treatment of comorbid harmful substance use 126 Council (NATSIHC) 77 Western Australian Aboriginal Child Health Survey (WAACHS) 384 National Aboriginal and Torres Strait Islander Health See also Incarceration Survey (NATSIHS) 103 Mental Health Act 1996 121 National Aboriginal and Torres Strait Islander Health Workforce Strategic Framework (2011–2015) 71 Mental health assessment 272, 281. See also Assessment; Mental state examination National Aboriginal and Torres Strait Islander Social Survey (NATSISS) 105, 166, 399, 405 Mental health diagnoses cultural differences 59 National Aboriginal and Torres Strait Islander Suicide Prevention Strategy (May 2013) 72 Mental health first aid (MHFA) 86 National Aboriginal Community Controlled Health Mental Health First Aid Training and Research Program Organisation (NACCHO) 56, 72, 173, 499 National competency standards in mental health Mental health nurse 83, 347 **See** Practice standards Mental health policy. See Policy National Drug Strategy (NDS) 72, 125,132 Mental health practitioners. See Practitioners workforce development 139 Mental health professional 75, 273, 386 National Drug Strategy Aboriginal and Torres Strait Islandattitudes of non-Aboriginal mental health professional er Peoples Complementary Action Plan (CAP) 72,132,139 National Health and Medical Research Council cultural affirmation in medical curriculum frameworks (NHMRC) 199 529-530 in Multidisciplinary/Interdisciplinary teams 221–223, National Inquiry into the Separation of Aboriginal and 237-238 Torres Strait Islander Children from their Families 131, 494 Mental health worker (MHW) 455, 523 National Mental Health Strategy (NMHS) 222, 272 Mental illness 113 National Practice Standards for the Mental Health anxiety 116,117 Workforce 2013 (NPSMHW) 48, 181-185, 195, 221, 257, being Aboriginal 248 271–272, 275, 525 concept 113 National Prisoner Census 166 depression 115,116 factors 30 National Standards for Mental Health Services 2010 factors affecting diagnoses 113 190-192, 195 forensic issues 119 National Strategic Framework for Aboriginal and Torres impact 248 Strait Islander Health 2003-2013 71,72 importance of family 246-248 issues for families 119 National Strategic Framework for Aboriginal and Torres personality disorder 118 Strait Islander People's Mental Health and Social and Emopsychosis 117,118 tional Wellbeing 2004-2009 72 rates of FASD 357 National Suicide Prevention Strategy (NSPS) stigma 244 70,147,155,161 Stolen Generations 114 substance use 114 National Survey of Mental Health and Wellbeing 126 treatment 120,121 what is it 113 Native Title 12, 69 Mental state examination (MSE) 281 NHMRC. See National Health and Medical Research See also Assessment: Mental health assessment Council MHFA. See Mental health first aid Night patrols 133

Misdiagnosis 45,75,277,504. See also Diagnosis

Northern Territory Intervention (Northern Territory National Emergency Response Act 2007) 131

NPSMHW. See National Practice Standards for the Mental Health Workforce	Population health 78, 93
NSPS. See National Suicide Prevention Strategy	Populations Aboriginal and Torres Strait Islander 3
Nutrition protective factors 342	Aboriginal communities 420 prevalence of FAS and FASD 356
_	Postnatal depression (PND) See Depression
0	Post Traumatic Amnesia (PTA) 315
Obsessive compulsive disorder 116	Post Traumatic Stress Disorder (PTSD) 116, 170, 285,
Offender rehabilitation programs 509, 512 Aboriginal psychological approach 513–517 an Aboriginal model 517,518	291-296, 495 Poverty and psychosocial stress 385
Opportunities social and emotional wellbeing of children 97	and racism 28, 29 social elements 32
Oppression 131, 258, 265, 511 reversing 464–465	Powerlessness and loss of control 419, 421 Practice standards 273
Oppressive legislation. See Legislation	Practitioners
ORYGEN 121	Aboriginal mental health practitioners 495
Overcoming Indigenous Disadvantage (OID). See Disadvantage	common principles 263 critically reflective practice 206–209 culturally appropriate assessment 272
P	enhancing cultural competence 202 general practitioners 139, 273
Panic attack 116, 478	mental health 106, 174, 196, 198, 203, 373
Parental mental health 337	core competencies 186–189 non-Aboriginal mental health practitioner 496, 503
Parenting 294 loss of fathers 461 poor quality 343 styles and practices 97	perinatal mental health 347–349 relationship with the client 274 remote communities 260-263 stereotypes and images 259 working with Torres Strait Islander people 261–263
Perinatal mental health. a cultural perspective 339–340 defined 337 depression 337–338 diagnosis 337 maternal depression 338 paternal depression 339 prevention 337 promoting 341 protective factors 341–342 reporting 347 risk factors 341 screening trends 346 treatment 337 young mothers 344–345 See also Depression	Prejudice stereotyping and prejudice 43 Programs Aboriginal Family and Community Healing Program 34 Aboriginal healing, empowerment and leadership 445 community-based programs 298–301, 438 Family wellbeing Marumali 34 perinatal mental health and SEWB 337 Red Dust Healing 465–467 violence-related 409 We Al-li 34, 77, 298 women's healing camp 34 Protective factors 93–94, 106. See also Perinatal mental health
Personality disorder 118	
Phobia. See Anxiety	Protocols 198 cultural 279
Policy	working with Aboriginal people 203
cultural competence in health services 199 FASD 360	Psychiatric assessment 64, 260
in development 87 makers 106, 266, 326 mental health policy 70-72	Psychiatric illness 115, 308 diagnosis in people with intellectual disability 322
Strong Spirit Strong Mind model,influence of 452–453 See also Initiatives	Psychoactive substances 125, 126 substance use 103

Psychological	Removal. See Forcible removal
distress 337 testing – rating scales 324, 325	Resilience promoting resilience 157
Psychology 39–40, Aboriginal 513 confronting change 46–49 mental functioning and testing 41–43	Risk factors 373, 420 to Aboriginal SEWB 99–104 victim of violence 405
professional practice 44, 45 stereotyping and prejudice 43	Roadmap for National Mental Health Reform 2012-2022 See Council of Australian Governments
Psychosis care and diagnosis 117 psychotic disorder FASD 357 substance use 126	Royal Australian and New Zealand College of Psychiatrists (RANZCP) 119 guidelines for working with Aboriginal people 276
symptoms 117	Royal Commission into Aboriginal Deaths in Custody (RCIADIC) 33, 45, 73, 82, 133, 152-3, 165, 173,493, 509
Psychotic disorder 117, 168-174	S
Q	
Queensland test (Q-Test) 42, 285	Schizophrenia 117
R	School attendance. <i>See</i> Education
Racial discrimination. <i>See</i> Discrimination	Screening cognitive 285 EPDS 345
Racial Discrimination Act 1975 131	perinatal 346
Racism 15–18, 28, 70, 99, 374, 511 cultural 15	Self-determination 9, 39, 46, 75-76, 105, 258, 419, 424–425
definition 15 effects 16, 98, 389	Self-harm 150–151, 155. See also Sorry business
in Australia 17	Sensitive topics 264, 284
individual 16 institutionalised 16 intergenerational 244 stereotyping and prejudice 43	Services accessing services 404 for victims of family violence 408
urban diversity 259 See also Discrimination	Sexual abuse 437, 483 child sexual abuse 293–294, 401
RANZCP. See Royal Australian and New Zealand College of Psychiatrists	Sobering-up shelters 133
RCIADIC. <i>See</i> Royal Commission into Aboriginal Deaths in Custody Reconciliation 74	Social and emotional wellbeing (SEWB) Aboriginal and Torres Strait Islander 55 Aboriginal people in custody 165–166 Aboriginal view of health 385
framework 80	and comorbidity 129 and mental health 63–64, 69-70
Recovery model 25	child development 95
Red Dust Healing philosophy 465 program 465–467 rejection 459–460 tools 460, 467–469	connection to body, mind and emotions 58–59 connection to family, kinships and community 59 connection to spirituality, land and culture 60, 104 constraints on development 97 definition 56–61
Rejection 459, 463-464	determinants 61–63, 437 development of 95
Remote Indigenous Communities cannabis use 130 diversity among people 257 drug and alcohol treatment 134 health, mental health and social issues 257 language 114 miscommunication 201	facilitators 97 framework 2004–2009 34, 228 guiding principles 57 interdisciplinary teams 223, 229–230 Key Result Area Four 71 problems 63 Seven Areas (Strong Spirit Strong Mind model) 455 workers 114, 227, 339
working in 260	workers 114, 227, 339

Social determinants 373 Canadian first nation 31 framework 94 health 94, 167 of mental health and harmful substance use 130 Strong Spirit Strong Mind model 452	Suicide Aboriginal suicide 148–155 community factors 153 cultural continuity 154 empowerment strategies to address risk factors 442 harmful substance use 129
Social exclusion 98, 101	high rates 437 perinatal period 338
Social health teams 77, 79	regional differences 151
Social indicators 131	suicide clusters 154-155 trauma and suicide ideation 296-297
Social inequality 98, 437	youth 385
Social injustice 440	Suicide prevention 34, 155–157, 442
Social justice 77	long term prevention 157 preventive early intervention 147
Social phobia. See Anxiety	Support
Social problems 449 related to harmful substance use 128	behavioural and emotional support 387 bereavement (suicide) support 157 encouraging school attendance and participation 388
Sorcery 117, 152	safety and self-care 206
Sorry. See Apology to Australia's Indigenous peoples	services 453 social support structures 119
Sorry business 157	Suppressed unresolved grief (SUG) 477-480, 486, 507
Stages of Change model 135	See also Grief and loss
Stolen Generations 12–13, 27, 30, 61, 82, 375, 493	Symptom as history 290–291
alcohol abuse 30 apology 126 criminal justice system 167 dispossession 131	Syndromes culture bound 277
gambling 30 oral histories 294	
personality disorder 118	Testing 272
Story maps 299	Torres Strait Islander culture and history 10–12
Storytelling 477	practitioners working with 261–263 protocols 261
Storytelling board 456	Tradition 461, 514
Story Telling Project 121	Traditional healers 261, 274
Stress and stressors 291, 463.	
emotional 337 financial 101, 107	Transdisciplinary teams. <i>See</i> Health care teams Transgenerational
levels of 117, 118, 475 life stressors 116, 384–385 psychosocial stressors 337 <i>See also</i> Acute Stress Disorder; Post Traumatic Stress Disorder	assessment 272 effects of removal 500 grief, loss, trauma 74, 76, 374 impact of colonisation 197, 420 trauma 274, 289
Strong Spirit Strong Future resource kit 366, 456	impacts of 292–296 pathways to recovery 423–424
Strong Spirit Strong Mind 272, 379, 391, 449-456	violence 463
Substance use/misuse 30, 104, 378, 422. Aboriginal people in custody 167–171 anxiety 116 brain injury 316–318 comorbid 126 prevalence 126, 127–128 social determinants 130 social problems 128 trauma 293 See also Comorbidity; Drug related harm; Drugs	Trauma 419. behavioural 291 children 30, 289–290, 292-293, 422 community and individual healing models 296–298 complex 293 contemporary 244 deaths in custody 165 defining 291 developmental 293 diagnosing in Aboriginal contexts 292

generational 30 historical 292, 294, 421 identifying 289-290 incarceration 167 informed services 299, 495 core values 300-301 malignant grief 30 negative impacts of 422 post assessment 283 psychological 291 rejection 459 specific programs 299 unresolved 100, 292, 516 See also Forcible removal Trauma-related nature of trauma over generations 419 University

U

Charles Sturt 86, 527 Curtin 48 of Western Australia 42 See also Centre for Aboriginal Studies

Unresolved trauma. See Trauma

Urban diversity 259.

Violence 103 crime 367, 462 consequences 413 contextualising Aboriginal family 404-405 defining violence 400-401 domestic 167, 400 family violence 293, 399 influence of colonisation 404 intergenerational 463 language of minimisation 400 lateral 400-401 reporting 401-402 statistics 463 victims 29

WAACHS. See Western Australian Aboriginal Child Health Survey

Ways Forward: National Aboriginal and Torres Strait Islander Mental Health Policy 1995 14, 26, 34, 45, 71, 196,

Ways Forward: National Consultancy Report on Aboriginal and Torres Strait Islander Mental Health 1995 56-57, 71, 74-75, 196

We Al-li 34, 298-299 Indigenous therapies 77

Western Australian Aboriginal Child Health Survey (WAACHS) 82, 116, 128

Westerman Aboriginal Symptom Checklist - Youth

(WASC-Y) and Adult (WASC-A) 285, 386

Westerman, Tracy 271

Westmead Post Traumatic Amnesia Test 326

Whiteness notions of 278 studies 204-206

Workforce development 139

Working with Indigenous Australians: A Handbook for Psychologists 209

Wuchopperen Health Service 77

Youth. See Aboriginal youth